



Labworks, LLC
230 North 1200 E #202
Lehi, UT 84043
Phone: 844 452-2967
www.labworks.com

LABWORKS 7.0 Installation Certification Document

Last Updated: April 2021

LABWORKS Installation Certification Document

The LABWORKS Installation Certification Document provides a set of tests that can be executed by the customer to certify that their install or upgrade is working as expected.

This document describes the Test Configuration, Test Execution and Expected Results.

Following will be the high level workflow for the tests to be performed:

- Setting up an analysis code (one for each type- single component, multi component, container)
- Setting up a location code
- Logging a sample
- Entering results
- Importing data (using scan daemon, multi component transfer and PR6)
- Performing calculations using the built-in calculation engine and excel
- Validating results
- Generating a report
- Creating a QA/QC batch

Pre-requisites

LABWORKS configurations as defined in Installation Guide and Admin Guide.

Test Summary


LABWORKS INSTALLATION CERTIFICATION DOCUMENT	2
PRE-REQUISITES	2
INSTALLATION TESTS	4
1. USER MANAGEMENT	4
1.1. CREATE USER	4
1.2. ASSIGN MENU.....	6
2. LOCATION LIST MAINTENANCE.....	7
2.1. CREATE LOCATION CODE	7
3. ANALYSIS MAINTENANCE APPLICATION	10
3.1. CREATE ANALYSIS CODE	10
4. SAMPLE LOGIN	18
4.1. LOGIN A SAMPLE	18
5. RESULT ENTRY	20
5.1. RESULT ENTRY	20
6. IMPORTING RESULTS.....	24
6.1. RESULT ENTRY	24
6.2. MULTI-COMPONENT TRANSFER.....	26
6.3. SCAN DAEMON.....	26
7. PERFORMING CALCULATIONS.....	27
7.1. BUILT-IN.....	27
7.2. EXCEL.....	32
8. GENERATE QA/QC BATCH	35
8.1. QA/QC TEMPLATE BUILDER	35
8.2. QA/QC BATCH BUILDER	38
9. VALIDATE RESULT.....	41
10. GENERATE REPORT.....	44
11. GENERATE INVOICE.....	45

Installation Tests


1. User Management

1.1. Create User

- 1) Launch LABWORKS Application and enter username/password credentials



- 2) Navigate to File → SYSTEM MANAGER application. Click on “Create New” button. Enter user information and click “Create” button. Configure user privileges.



LABWORKS System Management

System Control | Data Field Names | User Information | Privileges | Ownership | Save and Exit


Active /	Title	First	Last	Team	Site	Class
<input type="checkbox"/>	A	A	A		FLOATING	Read Only
<input type="checkbox"/>	Mr	B	B		FLOATING	Read Only
<input checked="" type="checkbox"/>	MR.	Create	User		Site1	Full
<input checked="" type="checkbox"/>		Dhawal	Mokashi		FLOATING	Full
<input type="checkbox"/>	FOURTH		USER		Site1	Read Only
<input checked="" type="checkbox"/>	Mr.	Kiran	Desai	BAT	FLOATING	Full
<input checked="" type="checkbox"/>	Mr	LAB	Test		FLOATING	Read Only
<input checked="" type="checkbox"/>			LABWORKSTest		FLOATING	Full
<input checked="" type="checkbox"/>		Mayur	Kendre		FLOATING	Full
<input checked="" type="checkbox"/>		Meeta	Padhye		FLOATING	Full
<input type="checkbox"/>	New	User			FLOATING	Full
<input checked="" type="checkbox"/>		Onkar	Narkhede		FLOATING	Full
<input type="checkbox"/>	OWNERSHIP	CHECK			FLOATING	Full
<input checked="" type="checkbox"/>		Sahil	A. Deshpande		FLOATING	Full
<input type="checkbox"/>	Ms	SQL	db	bluebird	FLOATING	Full
<input checked="" type="checkbox"/>	Mr	Second	User		FLOATING	Full
<input checked="" type="checkbox"/>	Mr.	Test_	User		FLOATING	Full
<input checked="" type="checkbox"/>	Mr.	TEST12	TEST12		FLOATING	Full
<input checked="" type="checkbox"/>	Mr.	T10	T10	BAT	FLOATING	Full
<input checked="" type="checkbox"/>	Mr.	Test2	Test2		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	T3	T3		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	T4	T4		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	T5	T5		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	T6	T6		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	T	t		FLOATING	Full
<input checked="" type="checkbox"/>		Third	User		FLOATING	Full
<input checked="" type="checkbox"/>	Mr	First	Last		Site1	Full
<input checked="" type="checkbox"/>	Analyst	First	User		Site1	Full
<input checked="" type="checkbox"/>		Second	Last		Site1	Login
<input checked="" type="checkbox"/>		Fourth	Last		Site1	Full
<input checked="" type="checkbox"/>		Fifth	Last		Site1	Full

Active
 Title: Mr
 First Name: Second
 Last Name: User
 User ID: su
 Email:
 Team:
 User Site: Floating
 User Class: Full
 LDAP User ID:

 Reset Password
 Create New
 Clone User
 Remove User

1.2. Assign Menu


- Assign default menu to the newly created user.




2. Location List Maintenance

2.1. Create Location Code

- 1) Launch LABWORKS Application and login using newly created user.






2) Click on Location List option

LABWORKS Location List Maintenance				
Folder	Items	Location code	Address	Current state
Location code	\$	\$TJUNELOC		ACTIVE
	@ONLY_CONTAINER			ACTIVE
	1234			ACTIVE
	AA12			ACTIVE
	AAAALOC			ACTIVE
	AS			ACTIVE
	B1			ACTIVE
	BANGALORE			ACTIVE
	BAT_FLOW1			ACTIVE
	BAT1			ACTIVE
	BB1			ACTIVE
	BB2			ACTIVE
	BBBB			ACTIVE
	BHOSARI			ACTIVE
	BHOSARI_1			ACTIVE
	CCCC			RETIRED
	CCCC1			ACTIVE
	CCCC2			ACTIVE
	COLORLOC			ACTIVE
	CUSTOMER_ABC			RETIRED
	DDDD			ACTIVE
	DEFAULT			ACTIVE
	DEMO			ACTIVE
	DFASDFSDFGVSDFDS			ACTIVE
	D1			ACTIVE
	DV_SELECT_DESELECT			ACTIVE
	DV_SELECT_DESELECT			ACTIVE
	FDS			ACTIVE
	FEED			ACTIVE
	FHDHF			ACTIVE
	FILTER			ACTIVE
	FILTER_CHECK			ACTIVE
	FILTER_CHECK2			ACTIVE
	FILTER2			ACTIVE
	GTV_TEST			ACTIVE
	HYDERABAD			ACTIVE
	K LOC			ACTIVE

- 3) Click on 'New' Button
- 4) Enter following information
 1. Location code
 2. Location Description
 3. Hold Days

4. Select Due date base option
 5. Select Invoice Samples check box
 6. Select Validate Sample Check box
 7. Select Check Specification Check box
 8. Disk Copy Final Report Check box
- 5) Click on Apply
- 6) Click on OK




- 7) Location code should be added in Location Code list. (e.g. LAB1)

3. Analysis Maintenance Application

3.1. Create Analysis Code

1) Launch Analysis Maintenance.

Click on Analysis List maintenance application. Click on New button on 'LABWORKS Analysis List Maintenance' window.



Analysis code	Analysis department	Analysis hold time	Modified by	Modified on	Reporting units	Analysis state
-BTKN1		0	USR	05/16/2018		ACTIVE
-BTKN2		0	USR	05/16/2018		ACTIVE
-LTKN1		0	USR	05/17/2018		ACTIVE
-LTKN2		0	USR	05/16/2018		ACTIVE
123	E	7261	USR	08/07/2019	mm	ACTIVE
185RNA		0	USR	11/26/2019		ACTIVE
185RRNA		0	USR	12/13/2019		DRAFT
212		0	USR	07/09/2019		DRAFT
2120		0	USR	01/19/2018		DRAFT
222		0	USR	11/28/2016		ACTIVE
A	FIELD_BACT	0	USR	03/09/2021		ACTIVE
A1	FIELD	5760	USR	11/15/2019		ACTIVE
A1210		0	USR	01/19/2018		ACTIVE
A123		0	USR	06/16/2017		ACTIVE
A21		0	USR	07/12/2019		DRAFT
A23		0	USR	07/12/2019		DRAFT
A24		0	USR	07/12/2019		DRAFT
A25		0	USR	07/12/2019		DRAFT
A26		0	USR	07/12/2019		DRAFT
AAA	D	5760	USR	06/28/2018	cm	ACTIVE
ABC	FIELD	0	USR	01/21/2021		ACTIVE
ABC_BAT	FIELD	4320	USR	10/27/2020		ACTIVE
ABC1	ROCK_SPRIN	0	USR	04/03/2019		DRAFT
ABC10		0	USR	10/25/2018		DRAFT
ABC11		0	USR	05/06/2019		DRAFT
ABC8		0	USR	10/25/2018		DRAFT
ABC9		0	USR	10/25/2018		DRAFT
ABCD		0	USR	10/16/2020		ACTIVE
ACETIC		0	USR	04/18/2018		ACTIVE
ACODE_FOR_DELETE		0	USR	12/29/2017		ACTIVE
ACODE_MOL		0	USR	02/05/2021		ACTIVE
ACTIVATE		0	USR	09/21/2018		ACTIVE

2) 'Add/Edit Analysis' window should open.

1. Single Component Analysis: Click New. Enter Analysis code and Analysis name. Click Apply.

Click OK. Select the newly created Analysis code and right click. Select ANALYSIS_ACTIVATE option.

 Add/Edit Analysis

Analysis ASpecifications Calculation Special Info Result Source Audit Info

Analysis

Analysis code : TEST Analysis name : TEST Analysis

Method reference : When Privilege is not there In Res

Price : 0 Work units : 0 Special info form: FIRST_SI_FORM Browse

Container Matrix

Routing details :

Department :

Reportable Invoiceable

Replicate Settings

Of Replicates : 2

Processing

Set Analysis To : Maximum Replicate Captured

Select Replicate From : All Available Replicates

Hold times

Days : 1 Hours : 2 Mins : 2

Regulation hold time

Days : 1 Hours : 2 Mins : 2

Quantitation details

Reporting units : ml Default MDL : 0.5 PQL :

Default Qualifier

Default Qualifier:

Round off for calculations

Significant figures 3 places

Use MDL places

Use Ranges

Ownership


Analysis Definition Owner :

Sample Analysis Owner :

Analysis Reader :

TEST

Apply OK Cancel



- 2. Multi-Component Analysis:** Click New. Enter Analysis code starting with \$ and enter Analysis Name=. Click Apply. Click OK.

 Add/Edit Analysis

Analysis	Components	ASpecifications	Calculation	Special Info	Result Source	Audit Info
Analysis Analysis code : <input type="text" value="\$2163_WT%"/> Method reference : <input type="text"/> Price : <input type="text" value="0"/> Container Matrix Routing details : Department : <input type="text"/> <input checked="" type="checkbox"/> Reportable <input checked="" type="checkbox"/> Invoiceable	Analysis name : <input type="text" value="\$2163_WT% Analysis"/> Work units : <input type="text" value="0"/> Special info form: <input type="text"/> <input type="button" value="Browse"/>	Replicate Settings # Of Replicates <input type="button" value="0"/> Processing Set Analysis To <input type="text" value="N/A"/> Select Replicate From <input type="text" value="N/A"/>				
Hold times Days : <input type="text" value="0"/> Hours : <input type="text" value="0"/> Mins : <input type="text" value="0"/> Regulation hold time Days : <input type="text" value="0"/> Hours : <input type="text" value="0"/> Mins : <input type="text" value="0"/>	Multicomponent details Component list file : <input checked="" type="checkbox"/> Report all specified components <input checked="" type="checkbox"/> Add unspecified components					
Quantitation details Reporting units : <input type="text"/> Default MDL : <input type="text"/>						
Default Qualifier <input type="text"/>						
Round off for calculations <input checked="" type="radio"/> Significant figures <input type="radio"/> Use MDL places 6 places	Ownership Analysis Definition Owner <input type="text"/> Sample Analysis Owner <input type="text"/> Analysis Reader <input type="text"/>					
 \$2163_WT%						
<input type="button" value="Apply"/> <input type="button" value="OK"/> <input type="button" value="Cancel"/>						

Go to Components tab and add Analytes. Click Apply. Click OK.

 Add/Edit Analysis

Analysis Components ASpecifications Calculation Special Info Result Source Audit Info

Analysis component list :

	Component Name	Component Abbreviation	Unit	MDL	CAS	PQL	Method ref
1	C6+						
2	Methane						
3	Ethane						
4	Ethylene						
5	Propane						
6	Propylene						
7	Isobutane						
8	N-Butane						
9	Trans-2-Butene						
10	Butene-1						
11	Isobutylene						
12	Neopentane						
13	Cis-2-Butene						
14	Isopentane						
15	N-Pentane						





< >

Clear Component List Load From Method Merge From Method Load From Analysis

 \$2163_WT%

Apply OK Cancel

Select the Analysis code and right click. Select ANALYSIS_ACTIVATE option.

3. **Container Analysis:** Click New. Enter Analysis code starting with @. Click Apply. Click OK. Select the Analysis code and right click. Select ANALYSIS_ACTIVATE option.

 Add/Edit Analysis

Analysis

Analysis code :	@TEST	Analysis name :	@TEST Analysis
Method reference :	<input type="text"/>	CAS number :	<input type="text"/>
Price :	0	Work units :	0
	<input type="button" value="Container"/>	<input type="button" value="Matrix"/>	Default label format:

Routing details :

Department :	<input type="text"/>
<input checked="" type="checkbox"/> Reportable	
<input checked="" type="checkbox"/> Invoicable	

Hold times

Days	Hours :	Mins :
1	0	0

Regulation hold time


Days	Hours :	Mins :
1	0	0

Ownership

Analysis Definition Owner	<input type="text"/>
Sample Analysis Owner	<input type="text"/>
Analysis Reader	<input type="text"/>

 @TEST

- 4. Narrative Analysis:** Click New. Enter Analysis code starting with ! Click Apply. Click OK. Select the Analysis code and right click. Select ANALYSIS_ACTIVATE option.



5. Study Group Analysis: Click New. Enter Analysis code starting with #. Click Apply.

 Add/Edit Analysis

Analysis Study Analysis Audit Info

Analysis

Analysis code : #ANL105

Analysis name : #ANL105 Analysis

Matrix

Department :

Ownership


Analysis Definition Owner

Sample Analysis Owner


Analysis Reader

#ANL105

Apply OK Cancel



Go to second tab and add analyses. Click Apply. Click OK.




4. Sample Login


4.1. Login a sample

- 1) Click on 'LWSampleLogin.exe' application. Select database, enter username, password and click on 'Ok' button. Click on 'Login Configuration' menu from toolbar. Click on 'Select Template' dropdown.

- 2) Enter name of the new template to be added in 'Name' textbox. Select any one field from 'Available Fields' list and click on forward arrow. Verify selected field name after adding it to 'Selected Fields'. Click on 'Save' button.
- 3) 'Login template saved successfully' message should be displayed.




- 4) From 'Sample Login' window, select template name created in the previous step. Click on ellipsis button for the location code from the grid. Select one or more location code and click on close button.
- 5) Change the Replicate Settings from Analysis Details pop-up message. Enter number of Replicates, Set analysis To, Select Replicate From fields.
- 6) Click on 'Log Samples' button. Click on 'Ok' button.
- 7) Application should log new samples and display 'Labworks Logged Samples' window.




5. Result Entry

5.1. Result Entry


- 1) Click on 'ResultsEntry6.exe' application. Click on Result Entry. Select Sample ID. Enter Sample Number. Click on View Selections. Click on Enter Selection.



- 2) In Result Entry window, enter results for all analysis.



- 3) User should be able to view already added replicate information for single and multi-component analysis samples.
 4) If logged-in user has “Add/Delete replicates” rights then replicates should be added or deleted and result value should be changed accordingly.



- 5) Click on “Store Results” button for Multi-Component Analysis.

Component Result Entry for Sample


Sample ID: AA60871	Analysis: \$TEST_LENGTH	Enter Key Action: <input checked="" type="radio"/> Right <input type="radio"/> Down
Analysis name: \$TEST_LENGTH Analysis		
Location code: BANGALORE		
Result file: manual entry		
Validated: No	Units: MYSAMPNO:	
Container ID: N/A		
Start date: 3/12/2021	Start time: 11:38	Dilution factor: 1
End date: 3/12/2021	End time: 11:38	Analyst: USR
Preparation date:	Preparation time:	

Analytics waiting for replicates input

Component Name	Vol	Result	Units	MDL	PQL	Sec Result	Qualifier	Raw Result	Result Method	Dil Factor	Analyst	Start Date	Time	End Date	Time	Manager
1 Considering the scenario where d5	5.40	5						5.00		1	USR	03/12/2021	11:38	03/12/2021	11:38	Manager
2 ABC	6	5								1	USR	03/12/2021	11:38	03/12/2021	11:38	Manager
3 H2O	7	5								1	USR	03/12/2021	11:38	03/12/2021	11:38	Manager
4 Silicon	5	5								1	USR	03/12/2021	11:38	03/12/2021	11:38	Manager
5																
6																
7																
8																
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																

Load Results
Clear Results
Display SOP
Sample Comments
Analysis Comment
Print Spec Info
Sample Spec Info
Validate
QA/QC Batch Inventory
Print
Store and Move Next
Store Changes
Cancel Changes

- 6) Click on "Save" button for analysis other than Multi-Component.
- 7) Select Last Selected Samples. Click on 'View Selection'. User should view previously stored results.



6. Importing Results

6.1. Result Entry

6.1.1. PR6 File Format – Single Component

- 1) Pre-requisite -
 1. Create Analysis SC1, SC2.
 2. Create new Sample with analysis SC1 and SC2.
 3. Create PR6 input file for the newly created samples.
- 2) Launch ResultsEntry6.exe. Go to Import instrument Results. Select Labworks PR6 file format. Select PR6 input file. Click ok.
- 3) Click “Save” on Result Entry Screen.

6.1.2. PR6 File Format – Multi-Component:

- 1) Pre-requisite -
 1. Create Analysis \$TestMCT with components A and B.
 2. Create new Sample with analysis \$TestMCT.
 3. Create PR6 input file for the newly created samples.
- 2) Launch ResultsEntry6.exe. Select sample created in step 1. Go to Modify Results for \$TestMCT Multicomponent Analysis. Click on Load Result. Select Labworks PR6 file format. Select PR6 input file.

3) Click on Store Result. Click on Save Results.


6.2. Multi-Component Transfer

6.2.1. PR6 File Format

- 1) Pre-requisite
 1. Create Analysis \$TestMCT with components A and B.
 2. Create new Sample with analyiss \$TestMCT.
 3. Create PR6 input file for the newly created samples.
- 2) Launch LW Multicomponent Transfer application (LWMultiComponentTransfer.exe). Login with valid credentials.
- 3) Select result file mode. Click Add file to List. Select Labworks PR6 file format. Select updated PR6 file. Click Find Samples. Click Review. Close Result Review sample window.
Click Save Results. Launch Results Entry. Open the sample details for which results is posted.

6.3. Scan Daemon

- 1) Go to C:\LABWORKS\LWEXE\Server path. Launch ScanDaemon Setup and Configuration application (LWScanDaemonConfiguration.exe). Create a ScanGroup by entering appropriate ScanGroup properties. Click “OK” button.



- 4) Go to C:\LABWORKS\LWEXE\Server path. Launch 'LW Service Controller' application (LWServiceControllers.exe). Click on 'ScanDaemon Service Controller' tab. Select Scan Group from 'Available Scan groups' dropdown and click on 'Start group scanning process' button. Status should be displayed as "Waiting" in Orange color.
- 5) Let the application scan the files as configured for the scan group through the service.
- 6) Launch Result Entry application. Check that all the results corresponding to the respective samples are displayed.


7. Performing Calculations

7.1. Built-in

1) Precondition :

Go to System Manager Application and select Use_Calculation_Engine checkbox.

2) Create ACODEs C1, C2 & C3. Define calculation for ACODE C3, Calculation tab has X1=C1, X2=C2. Calculation function=X1+X2. Create a sample with ACODEs: C1, C2 and C3.

 Add/Edit Analysis

Analysis ASpecifications **Calculation** Special Info Result Source Audit Info

Calculation setup

Unformatted result :

Formatted result :

Calculated MDL :

Input parameters :		Test values :	
Var No.	Input Analysis	No Key	
X1	C1	<input checked="" type="radio"/>	<input type="text"/>
X2	C2	<input type="radio"/>	<input type="text"/>
X3		<input type="radio"/>	<input type="text"/>
X4		<input type="radio"/>	<input type="text"/>
X5		<input type="radio"/>	<input type="text"/>
X6		<input type="radio"/>	<input type="text"/>
X7		<input type="radio"/>	<input type="text"/>
X8		<input type="radio"/>	<input type="text"/>
X9		<input type="radio"/>	<input type="text"/>
X10		<input type="radio"/>	<input type="text"/>

Calculate MDL

Non-numeric key value options

- Don't perform calc
- Report as key value
- Report as MDL
- Report as < MDL
- Report as 0
- Use 0 as key value


Calculation function :

C3 = X1+X2

User needs to save the changes made in analysis setup or calculation setup before testing calculation.

- 3) On Analysis Maintenance, select radio button “Significant Figures” and enter no. of places as 3.



Add/Edit Analysis

Analysis ASpecifications Calculation Special Info Result Source Audit Info

Analysis

Analysis code :

Method reference :

Price : Container Matrix

Analysis name : C3 Analysis

CAS number :

Work units : Special info form: Browse

Routing details :

Department :

Reportable Invoiceable

Replicate Settings

Of Replicates :

Processing

Set Analysis To : N/A

Select Replicate From : N/A

Hold times

Days : <input type="text" value="0"/>	Hours : <input type="text" value="0"/>	Mins : <input type="text" value="0"/>
---------------------------------------	--	---------------------------------------

Regulation hold time

Days : <input type="text" value="0"/>	Hours : <input type="text" value="0"/>	Mins : <input type="text" value="0"/>
---------------------------------------	--	---------------------------------------

Quantitation details

Reporting units :

Default MDL :

PQL :

Round off for calculations


Significant figures places
 Use MDL places
 Use Ranges

Ownership

Analysis Definition Owner :
Sample Analysis Owner :
Analysis Reader :

Apply OK Cancel

- 4) Create a sample ID with ACODES: C1, C2 and C3.



- 5) Launch Result Entry application. Click on Result Entry. Select Sample ID. Enter Sample Number. Click on View Selections. Click on Enter Selection.

Result Entry:

Enter Key Action: None Right Down Analyses with replicates 

Print Save Cancel

Details	Anl Code	C1	C2	C3
AA60413	Result			
CD: 03/06/2017	StartDate			
	EndDate			
	Validated By			
	DilFactor	1	1	1
	MDL			
	PQL			
	Qualify			
	Result2			

Left click result cell to enter data, headers to display user, test, or sample info. Right click for context menu.

- 6) Enter results for analysis C1 and C2. Result value should be automatically calculated for C3.

Result Entry:


Enter Key Action: None Right Down Analyses with replicates

Details	Anl Code	C1	C2	C3
AA60413	Result	10	20	30.0
CD: 03/06/2017	StartDate	10/28/2021	10/28/2021	10/28/2021
	EndDate	10/28/2021	10/28/2021	10/28/2021
Validated By				
	DilFactor	1	1	1
	MDL			
	PQL			
	Qualify			
	Result2			

Enter, load, or modify results for sample analyses

7.2. Excel

- 1) Create excel calculation template and place it at C:\LABWORKS\LWDATA\xlcalc.



- 2) Launch Excel Calculation Setup. Click Setup. Click Modify. On Calculation Header Information tab, select .XLS file having result data and calculation formula. Enter Sheet name.
- 3) On Input and Output Parameters tab, click Load from Analysis and select \$XC1, \$XC2 and \$XC3. For \$XC1 and \$XC2, select Input and enter cell address. For \$XC3, select Output and enter cell address. Click Save.

Excel Custom Calculation Creation and Modification

Loaded calculation: TESTCALC Last modified: 10/28/2021 11:51 Modified by: USR

Calculation code: **TESTCALC** Load Clear Print Save Close

Calculation description: **Test Calc**

Excel workbook (.XLS) file: **TEST** Excel worksheet name: **Sheet1** Macro: **[]**

Header items to write to spreadsheet:

Sample Header Item	Cell Address
Sample ID	
Location code	
Location description	
Sample collector	
Purchase order number	
Project account code	
LABWORKS Log Batch No.	
Mysampno (User 01)	
Myuser2 (User 02)	
Dv_status (User 03)	
Permit_no (User 04)	
Discharge_no (User 05)	
Email_address (User 06)	
Report_type (User 07)	

Calculation Header Information **Input and Output Parameters**

Excel Custom Calculation Creation and Modification

Loaded calculation: TESTCALC Last modified: 10/28/2021 12:02 Modified by: USR

Load Clear Print Save Close

Clear Params Load from XL Calc Merge from XL Calc Load from Analysis Merge from Analysis


Input and output parameters for Excel custom calculation:

Allow Duplicates Auto-Increment Cell


Anl Code	Analyte Name	Result Item	Input/Output	Cell Address
1 \$XC1	a	Primary result	Input	A1
2 \$XC1	b	Primary result	Input	A2
3 \$XC2	a	Primary result	Input	B1
4 \$XC2	b	Primary result	Input	B2
5 \$XC3	a	Primary result	Output	C1
6 \$XC3	b	Primary result	Output	C2
7		Primary result	Input	
8		Primary result	Input	
9		Primary result	Input	
10		Primary result	Input	
11		Primary result	Input	
12		Primary result	Input	
13		Primary result	Input	
14		Primary result	Input	
15		Primary result	Input	

Calculation Header Information **Input and Output Parameters**


4) Log-in samples for with ACodes created in above steps.



5) Launch Result Entry application. Click on Result Entry. Select Sample ID. Enter Sample Number. Click on View Selections. Click on Enter Selection.



- 6) Enter results for analysis \$XC1 and \$XC2. Result value should be automatically calculated for \$XC3.




The screenshot shows the 'Result Entry' dialog box. At the top, there is a toolbar with a 'Result Entry' icon, 'Enter Key Action' dropdown (set to 'Right'), a checkbox for 'Analyses with replicates' (unchecked), and buttons for 'X' (Excel), 'Print', 'Save', and 'Cancel'. Below the toolbar is a table with columns: Details, Anl Code, \$XC1, \$XC2, and \$XC3. The table contains several rows of data, including sample details like CD: 03/06/2017, analysis codes like AA60414, and various status fields like StartDate, EndDate, Validated By, DilFactor, MDL, PQL, Qualify, and Result2. Most cells in the table are filled with text, except for some which contain three dots ('...'). A large text area at the bottom of the dialog box contains the placeholder text: 'Enter, load, or modify results for sample analyses'.

Details	Anl Code	\$XC1	\$XC2	\$XC3
AA60414	Result	Done	Done	Done
CD: 03/06/2017	StartDate	10/28/2021	10/28/2021	10/28/2021
	EndDate	10/28/2021	10/28/2021	10/28/2021
	Validated By			
	DilFactor	---	---	---
	MDL	---	---	---
	PQL	---	---	---
	Qualify	---	---	---
	Result2	---	---	---

8. Generate QA/QC Batch

8.1. QA/QC Template Builder

- 2) Click on 'LWQAQCTemplateBuilder.exe'. Click on 'New' button. Enter the template details in Main tab. Enter the sequence details in Sequence tab. Newly created QA QC Template is displayed in the list.



QA/QC Template Builder

Main Special Info Sequence Attachments

Template Name: NEW_QAQC_TEMPLATE

Template Description: New QAQC Template

Primary Analysis: TEST

Special QA Sample Available for Batch:

Special QA Sample:

Default Instrument:

Special Info: FIRST_SI_FORM

Results Entry Template: NEW_TEMPLATE

Report Template:

Use standard item for tracking: H2O


eWorksheet Template:

Default Analyst:


Dependent Analysis:

Primary analysis	Analysis code	Analysis name	Type
TEST	F_TEST	Fld Blank for Single test	

Apply OK Cancel




- 3) Launch “LWSampleLogin.exe”. Login samples to be included in the batch.




8.2. QA/QC Batch Builder


- 1) Launch “LWQAQCBatchBuilder.exe”. Select the newly created template, radio button for sample selection option as “Unbatched Samples” and click on 'Next' button.




- 2) Select the samples from “Available Samples” list and click “Auto-fill” button to move the samples to “Selected Sample” list.



- 3) Click on 'Create Batch' button. "Batch saved successfully" message should be displayed.





- 4) Go to “Existing” tab. The newly created batch should be displayed with “DRAFT” status.



9. Validate Result

- 1) Launch Sample and Analysis validation application.
- 2) Select Sample ID option from Search for Sample By. Enter Sample Number (select sample number such that it is already having status as 'Validation queue'). Click on View Selection. Click on Enter Selection.



- 3) Go to 'Analysis Order' Tab. Right Click on Analysis Order column. Select 'Validate all complete Analyses in sheet'.

Multi-Sample Validation - Sample Analysis Orders

Unordered analysis		10.00	Set price	10.00	Projected price
Analyses Ordered	Sample ID	AA00001			
	Loc Code	PUNE			
	DV_STATUS				
TEST	Status	Not valid			
TEST Analysis	Result	Complete			
---	Rlt Source	Manual			
	Price	0.00			
	Start Date	21-05-2019 15:41:00			
	End Date	21-05-2019 15:41:00			
	Analyst	USR2			
TEST	Status	Not valid			
TEST Analysis	Result	10			
---	Rlt Source	Manual			
	Price	0.00			
	Start Date	21-05-2019 15:41:00			
	End Date	21-05-2019 15:41:00			
	Analyst	USR2			
\$TEST	Status	Not valid			
\$TEST Analysis	Result	Complete			
---	Rlt Source	Manual			

Cancel
Validate all completed analyses for sample AA00001
Unvalidate all analyses for sample AA00001
Set all analysis prices for sample AA00001
Reorder all analyses for sample AA00001

Sample header info Comments Special information **Analysis order** Setup headers

Click analysis disposition to change, result to view detail, or price to set price. Right click header for block operations.

- 4) Select 'Sample header info' tab. Select Validate Now check box. Click on "Save" button.

Multi-Sample Validation - Sample Header Fields


Sample ID	Validate	Previously Validated	Analyses Validated	Any Viols	Audit Trail	QA/QC Data	Loc Code	Sample Colctr	Col Date	ColTime	Sub Date
AA00001	<input checked="" type="checkbox"/>	No	Yes	No	Yes	No	PUNE		21-05-2019	00:00	21-05-2019

Save Cancel

Sample header info Comments Special information Analysis order Setup headers

Click here to save sample validations, analysis dispositions, and price or comment modifications


- 5) Select 'Last Selected Sample' option. Click on View Selection button.




- 6) Status of the selected sample should be displayed as 'Report Queue'.

10. Generate Report

- 1) Launch Zip Report (ZipReport6.exe) application with valid LABWORKS credentials. Select "CR_STANDARD" report and select applicable samples using "Sample Search" window. Click "Enter Selection".




- 2) Report file is generated.



Sample ID	Sample Point	Analysis Code	Analyte Name	Result	Units	MDL	Method Reference
AA00032	Collected -04/19/2016 ST_NEW ST_NEW	@ST TEST	Container analyte TEST Analysis	PENDING PENDING			method 4 sampled
AA00038	Collected -04/20/2016 ST_PUNE ST_PUNE ST_PUNE ST_PUNE	SDEMO SST IST ST	SDEMO Analysis multi analyte Narrative analyte Single analyte	PENDING PENDING PENDING PENDING			method 3
AA00039	Collected -04/20/2016 ST_NEW ST_NEW	TEST @ST	TEST Analysis Container analyte	PENDING PENDING			sampled method 4
AA00045	Collected -04/20/2016						

11. Generate Invoice

- 1) Launch “Sample Invoice” application (LWWinV6.exe). Select “Samples Awaiting Invoicing” option. Click “View Selection” and “Enter Selection”.



Uncheck All	Sample ID	Location code	Location description	Collection date	Sample status
<input checked="" type="checkbox"/>	AA00647	LOCJUNE3	test location	03-06-2016 00:00	Invoice queue
<input checked="" type="checkbox"/>	AA03359	LOCATION1	Test Location 1	07-12-2016 00:00	Invoice queue
<input checked="" type="checkbox"/>	AA05638	ST_PUNE	pune	15-05-2017 00:00	Invoice queue
<input checked="" type="checkbox"/>	AA05639	ST_PUNE	pune	15-05-2017 00:00	Invoice queue
<input checked="" type="checkbox"/>	AA08590	B_JUNE	collected status	06-11-2017 00:00	Invoice queue

- 2) Invoice should be generated as per the configured format.